

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	1	consumption with process with control with tool with semiconductor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 10:40		
2	BRS	2	consumption with process with control with tool and semiconductor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 10:43		
3	BRS	7	(utilit\$3 or consumption or resource\$1) with process with control with tool and semiconductor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 10:46		
4	BRS	601	process with control with tool and semiconductor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:28		
5	BRS	129	process with control with tool with semiconductor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 10:52		
6	BRS	2	consumption with process with control with tool and (wafer\$1 or (chemical adj1 reactor\$1) or semiconductor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 17:30		
7	BRS	6	process with control with tool with semiconductor\$1 and consumption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 11:16		
8	IS&R	3	("6303395").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 11:16		
9	BRS	1	semiconductor with process\$3 and collect\$3 with high with frequency and sum\$4 with low with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 12:47		
10	BRS	129	semiconductor with process\$3 with high with low with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 18:03		
11	BRS	1	semiconductor with process\$3 with high with low with frequency with (add\$3 or accumulatt\$3 or sum\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 12:59		

	Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition
12	BRS	10	semiconductor with process\$3 with (GUI or (graphical adj1 user adj1 interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 13:17		
13	BRS	20	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) with edit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 13:39		
14	BRS	28	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) and edit\$3 with parameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:49		
15	BRS	0	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) and edit\$3 with parameter\$1 with gas with flow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 13:42		
16	BRS	1	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) and edit\$3 with parameter\$1 and gas with flow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 13:57		
17	BRS	0	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) with ((user adj1 defined) or user-defined) with parameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 13:59		
18	BRS	5	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) and ((user adj1 defined) or user-defined) with parameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:02		
19	BRS	2	semiconductor with process\$3 and software with ((user adj1 defined) or user-defined) with parameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:34		
20	BRS	1006	semiconductor with process\$3 and purge with gas with flow\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:36		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
21	BRS	1	semiconductor with process\$3 with purge with gas with flow\$1 with parameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:37		
22	BRS	51	semiconductor with process\$3 with purge with gas with flow\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:39		
23	BRS	6	semiconductor with process\$3 and purge with gas with flow\$1 with parameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:42		
24	BRS	3	semiconductor with process\$3 and purge with gas with flow\$1 with parameters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:46		
25	BRS	1	semiconductor with process\$3 and purge adj1 gas adj1 parameters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:48		
26	BRS	21	semiconductor with process\$3 and purge with gas with parameters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 14:55		
27	BRS	1	semiconductor with process\$3 and purge adj gas adj parameters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 15:17		
28	BRS	1	purge adj1 gas adj1 parameters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 15:17		
29	BRS	323	semiconductor with process\$3 and purge adj1 gas adj1 flow\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 15:20		
30	BRS	143	semiconductor with process\$3 with purge adj1 gas	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 15:24		
31	BRS	11	semiconductor with process\$3 with purge adj1 gas adj1 flow\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 15:21		
32	BRS	3	semiconductor with process\$3 with purge adj1 gas with parameters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 15:45		
33	BRS	3652	700/51,80,83,89,100,109-110,121,169,291,19-21,50,108,9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 15:46		

Type	Hits	Search Text	Dbs	Time Stamp	Comments	Error Definition
34 BRS	4830	438/5,10,14,17.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 15:46		
35 BRS	1231	716/2,4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/01 15:46		
36 BRS	0	semiconductor\$1 with process\$3 with tool and electronic with input with ouput	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:32		
37 BRS	0	semiconductor\$1 with process\$3 with tool and (electronic or electric\$4) with input with ouput	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:31		
38 BRS	0	semiconductor\$1 with process\$3 with tool with input with ouput	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:31		
39 BRS	0	semiconductor\$1 and process\$3 with tool and electronic with input with ouput	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:32		
40 BRS	2	semiconductor\$1 with process\$3 and electronic with input with ouput	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:32		
41 BRS	663	(702/\$.ccls.) and semiconductor with process\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:58		
42 BRS	6386	702/136,22-24,27,28,30-32,33-3 6,40,56,57,64,65,81-84,99,104, 113-119,124,126,130,133,132,13 4,138,183,184,189.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:04		
43 BRS	6885	702/136,22-24,27,28,30-32,33-3 6,40,56,57,64,65,81-84,99,104, 113-119,124,126,130,133,132,13 4,138,182,183,184,189.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:04		
44 BRS	66	semiconductor with process\$3 with tool and analog with digit\$2 with signal\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:18		
45 BRS	2	"20010039462"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:44		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
46	BRS	543	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:50		
47	BRS	55	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) with parameter\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 11:48		
48	BRS	0	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) with parameter\$1 with report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 11:58		
49	BRS	20	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) with print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 14:46		
50	BRS	0	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) with print\$3 with resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 14:47		
51	BRS	1	semiconductor with process\$3 and (GUI or (graphical adj1 user adj1 interface)) with resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 14:50		
52	BRS	1	semiconductor and (GUI or (graphical adj1 user adj1 interface)) with display with resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 14:57		
53	BRS	2	"20020152044"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 14:58		
54	BRS	89	(GUI or (graphical adj1 user adj1 interface)) with display with resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 15:02		
55	BRS	7	(GUI or (graphical adj1 user adj1 interface)) with display with select\$3 with resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 15:03		
56	BRS	0	semiconductor with consumption with high with frequency and sum with low with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 17:31		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
57	BRS	1	collect with high with frequency and sum with low with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 17:36		
58	BRS	30	collect\$3 with high with frequency and sum\$3 with low with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 17:34		
59	BRS	19	collect\$3 with data with high with (speed or frequency) and (add\$3 or sum\$3) with data with low with (speed or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 17:52		
60	BRS	15	collect\$3 with data with high with (total\$3 or add\$3 or sum\$3) with data with low	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 18:00		
61	BRS	2	semiconductor with process\$3 with high with low with frequency and collect\$3 with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 18:07		
62	BRS	2	semiconductor and sampl\$3 with data with (high-frequency or high adj1 frequency) and (add\$3 or total\$3 or sum\$3) with data with (low-frequency or low adj1 frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 18:16		
63	BRS	34	sampl\$3 with data with (high-frequency or high adj1 frequency) and (add\$3 or total\$3 or sum\$3) with data with (low-frequency or low adj1 frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/09 18:17		
64	BRS	34	sampl\$3 with data with (high-frequency or (high adj1 frequency)) and (add\$3 or total\$3 or sum\$3) with data with (low-frequency or (low adj1 frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 11:54		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
65	BRS	40	(collect\$3 or sampl\$3) with data with (high-frequency or (high adj1 frequency)) and (add\$3 or total\$3 or sum\$3) with data with (low-frequency or (low adj1 frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 12:07		
66	BRS	1	(collect\$3 or sampl\$3) with resource with consumption with (high-frequency or (high adj1 frequency)) and (add\$3 or total\$3 or sum\$3) with (low-frequency or (low adj1 frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 12:24		
67	BRS	1	(collect\$3 or sampl\$3) with resource with consumption with (high-frequency or (high adj1 frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 12:24		
68	BRS	47	(collect\$3 or sampl\$3) with (power or resource) with (use or usage or consumption) with (high-frequency or (high adj1 frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 12:16		
69	BRS	12	(collect\$3 or sampl\$3) with (power or resource) with (use or usage or consumption) with (high-frequency or (high adj1 frequency)) and (semiconductor\$1 or wafer or (integrated adj1 circuit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 12:17		
70	BRS	3	(collect\$3 or sampl\$3) with (power or resource) with (use or usage or consumption) with (high-frequency or (high adj1 frequency)) and (add\$3 or total\$3 or sum\$3) with (low-frequency or (low adj1 frequency)) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 12:57		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
71	BRS	22	parameter\$1 with 'sample\$3 with (high adj1 frequency) and (semiconductor\$1 or wafer\$1 or integrated adj1 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:27		
72	BRS	6	parameter\$1 with sample\$3 with (high adj1 frequency) and (low adj1 frequency) and (semiconductor\$1 or wafer\$1 or integrated adj1 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:14		
73	BRS	1	parameter\$1 with (sum or summing or summed or sums) with (low adj1 frequency) and (semiconductor\$1 or wafer\$1 or integrated adj1 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:15		
74	BRS	9	parameter\$1 with (add or adds or adding or added or total or totaling or totally or sum or summing or summed or sums) with (low adj1 frequency) and (semiconductor\$1 or wafer\$1 or integrated adj1 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:16		
75	BRS	3410	(sample\$3 or collect\$3) with (high adj1 frequency) and (semiconductor\$1 or wafer\$1 or integrated adj1 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:28		
76	BRS	97	(sample\$3 or collect\$3) with (high adj1 frequency) and (add or adds or adding or added or total or totaling or totally or sum or summing or summed or sums) with (low adj1 frequency) and (semiconductor\$1 or wafer\$1 or integrated adj1 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:34		



	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
77	BRS	134	(sample\$3 or collect\$3) with (high adj1 (speed\$3 or frequency)) and (add or adds or adding or added or total or totaling or totally or sum or summing or summed or sums) with (low adj1 (speed\$3 or frequency)) and (semiconductor\$1 or wafer\$1 or integrated adj1 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:35		
78	BRS	35	(sample\$3 or collect\$3) with data with (high adj1 (speed\$3 or frequency)) and (add or adds or adding or added or total or totaling or totally or sum or summing or summed or sums) with (low adj1 (speed\$3 or frequency)) and (semiconductor\$1 or wafer\$1 or integrated adj1 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:36		
79	BRS	58	(sample\$3 or collect\$3) with (sample\$1 or parameter\$1 or data) with (high adj1 (speed\$3 or frequency)) and (add or adds or adding or added or total or totaling or totally or sum or summing or summed or sums) with (data or sample\$1 or parameter\$1) with (low adj1 (speed\$3 or frequency)) and (semiconductor\$1 or wafer\$1 or integrated adj1 circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:44		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
			(sample\$3 or collect\$3) with (sample\$1 or parameter\$1 or data) with (high adj1 (speed\$3 or frequency)) with (add or adds or adding or added or total or totaling or totally or sum or summing or sums) with (data or parameter\$1 or parameter\$1 (speed\$3 or frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:05		
80	BRS	96					
			(combine or combination or combines or combined or collect or collecting or collects or collected) with (sample\$1 or parameter\$1 or data) with ("at high" adj1 (speed\$3 or frequency)) with (add or adds or adding or added or total or totaling or totally or sum or summing or summed or sums) with (data or sample\$1 or parameter\$1) with ("at low" adj1 (speed\$3 or frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 13:58		
81	BRS	0					
			(combine or combination or combines or combined or collect or collecting or collects or collected) with (sample\$1 or parameter\$1 or data) with ((at adj high) adj1 (speed\$3 or frequency)) with (add or adds or adding or added or total or totaling or totally or sum or summing or summed or sums) with (data or sample\$1 or parameter\$1) with ((at adj low) adj1 (speed\$3 or frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:00		
82	BRS	0					

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
83	BRS	1	(combine or combination or combines or combined or collect or collecting or collects or collected) with (sample\$1 or parameter\$1 or data) with ((at adj high) adj1 (speed\$3 or frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:07		
84	BRS	0	(combine or combination or combines or combined or collect or collecting or collects or collected) with (sample\$1 or parameter\$1 or data) with ((at adj high) adj (speed\$3 or frequency)) with (add or adds or adding or added or total or totaling or totally or sum or summing or summed or sums) with (data or sample\$1 or parameter\$1) with ((at adj low) adj (speed\$3 or frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:00		
85	BRS	1	(combine or combination or combines or combined or collect or collecting or collects or collected) with (sample\$1 or parameter\$1 or data) with ((at adj high) adj (speed\$3 or frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:00		
86	BRS	21	green adj tool\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:05		
87	BRS	1503	(combine or combination or combines or combined or collect or collecting or collects or collected or sample or sampled or sampling or samples) with ( parameter\$1 or data) with (high adj frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:08		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
88	BRS	374	(combine or combination or combines or combined or collect or collecting or collects or collected or sample or sampled or sampling or samples) with ( parameter\$1 or data) with (high adj frequency) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:10		
89	BRS	3	(combine or combination or combines or combined or collect or collecting or collects or collected or sample or sampled or sampling or samples) with ( parameter\$1 or data) with (high adj frequency) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1)) with process\$3 with tool\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:14		
90	BRS	4	computer with software with (collect or collecting) with data with high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:17		
91	BRS	8	computer with software and (collect or collecting) with data with high with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:20		
92	BRS	734	computer with software and (sample or samples or sampling or sampled or collected or collect or collecting) with (sample or samples or data) with high with (speed or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:21		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
93	BRS	8	computer with software with (sample or samples or sampling or sampled or collected or collect or collecting) with (sample or samples or data) with high with (speed or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 15:05		
94	BRS	6	computer with software with (combined or combine or combining or add or added or adds or adding or sum or summed or sums or summing or total or totally or totaling) with (sample or samples or data) with high with (speed or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 14:44		
95	BRS	1	computer with software with (combined or combine or combining or add or added or adds or adding or sum or summed or sums or summing or total or totally or totaling) with (sample or samples or data) with low with (speed or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 15:23		
96	BRS	10	computer with (sample or samples or sampling or sampled or collected or collect or collecting) with (sample or samples or data) with high with (speed or frequency) and (combined or combine or combining or add or added or adds or adding or sum or summed or sums or summing or total or totally or totaling) with (sample or samples or data) with low with (speed or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 15:06		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
97	BRS	298	computer with (sample or samples or sampling or sampled or collected or collect or collecting) with (sample or samples or data) with high with (speed or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 15:09		
98	BRS	46	computer with (sample or samples or sampling or sampled or collected or collect or collecting) with (sample or samples or data) with high with (speed or frequency) and semiconductor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 15:10		
99	BRS	27	computer with (combined or combine or combining or add or added or adds or adding or sum or summed or sums or summing or total or totally or totaling) with (sample or samples or data) with low with (speed or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 10:45		
100	BRS	237	(summed or sum or summing) with (reduce or reduces or reduced or reducing) with storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 10:46		
101	BRS	2	(summed or sum or summing) with (reduce or reduces or reduced or reducing) with storage with low with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 10:47		
102	BRS	45	(summed or sum or summing) with (reduce or reduces or reduced or reducing) with storage and low with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 10:56		
103	BRS	3	(summed or sum or summing) with (reduce or reduces or reduced or reducing) with storage with low with (frequency or frequencies or speed or speeding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:00		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
104 BRS	17	(summed or sum of summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation) with (reduce or reduces or reduced or reducing) with storage with low with (frequency or frequencies or speed or speeding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:06		
105 BRS	2	(summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation) with (reduce or reduces or reduced or reducing) with storage with low with (frequency or frequencies or speed or speeding))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:09		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
106 BRS	32	(summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation or total or totally or totaling) with (reduce or reduces or reduced or reducing) with (memory or storage) with low with (frequency or frequencies or speed or speeding) not ((summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation) with (reduce or reduces or reduced or reducing) with storage with low with (frequency or frequencies or speed or speeding))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:10		
107 BRS	49	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) with (summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation or total or totally or totaling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:12		
108 BRS	1108	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:14		



Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
109 BRS	2	sum\$3 with low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:13		
110 BRS	2	low with (frequency or frequencies or speed or speeding) with sum\$3 with (reduce or reduces or reduced or reducing) with (memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:14		
111 BRS	1	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) with accumulat\$3 with consumpt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:17		
112 BRS	142	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) with (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:17		
113 BRS	171	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1)) with consum\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:23		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
114 BRS	144	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) and (semiconductor\$1 or wafer\$1 or (integrated adj\$1 circuit\$1)) with consum\$5 and (summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation or total or totally or totaling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:24		
115 BRS	89	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) and (semiconductor\$1 or wafer\$1 or (integrated adj\$1 circuit\$1)) with consum\$5 and (summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation or total or totally or totaling) with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:25		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
116 BRS	98	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1)) with consum\$5 and (summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation or total or totally or totaling) with (sample\$3 or data or input)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB DERWENT; IBM_TDB	2003/05/11 11:57		
117 BRS	0	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1)) with consum\$5 with (summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation or total or totally or totaling) with (sample\$3 or data or input)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB DERWENT; IBM_TDB	2003/05/11 11:37		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
118 BRS	2	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) and (semiconductor\$1 or wafer\$1 or (integrated adj\$1 circuit\$1)) with consum\$5 same (summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation or total or totally or totaling) with (sample\$3 or data or input)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB DERWENT; IBM_TDB	2003/05/11 11:38		
119 BRS	80	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) and (semiconductor\$1 or wafer\$1 or (integrated adj\$1 circuit\$1)) with consum\$5 and (summed or sum or summing or add or adds or added or adding or combination or combine or combined or accumulate or accumulating or accumulation or total or totally or totaling) with (sample\$3 or data or input)	USPAT	2003/05/11 11:51		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
120 BRS	86	low with (frequency or frequencies or speed or speeding) with (reduce or reduces or reduced or reducing) with (memory or storage) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1)) with consum\$5 and (summed or sum or summing or add or adds or added or adding or accumulate or accumulative or accumulating or total or accumulation or totaling) with (sample\$3 or data or input) with low with speed or speeding) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1)) with consum\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 11:58		
121 BRS	7	(reduce or reduces or reduced or reducing) with (memory or storage) and (summed or sum or summing or add or adds or added or adding or accumulate or accumulative or accumulating or total or totaling) with (sample\$3 or data or input) with low with (frequency or frequencies or speed or speeding) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1)) with consum\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:05		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
		(reduce or reduces or reduced or reducing) with (memory or storage) and (summed or sum or summing or add or adds or added or adding or accumulate or accumulating or accumulative or accumulation or total or totaling) with (sample\$3 or data or input) with low with (frequency or frequencies or speed or speeding) same (reduce or reduces or reduced or reducing) with (memory or storage)				
122 BRS	255		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:06		
123 BRS	22	(summed or sum or summing or add or adds or added or adding or accumulate or accumulating or accumulative or accumulation or total or totaling) with (sample\$3 or data or input) with low with (frequency or frequencies or speed or speeding) same (reduce or reduces or reduced or reducing) with (memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:13		
124 BRS	0	add\$3 adj on adj low adj (frequenc\$3 or speed\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:14		
125 BRS	0	add\$3 adj (data or sample\$3) adj low adj (frequenc\$3 or speed\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:16		
126 BRS	1	(summed or sum or summing or add or adds or added or adding or accumulative or accumulate or accumulating or accumulation or total or totaling) with on with low with (frequenc\$3 or speed\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:17		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
127 BRS	18134	(summed or sum or summing or add or adds or added or adding or accumulative or accumulate or accumulating or accumulation or total or totally or totaling) with low with (frequency\$3 or speed\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:18		
128 BRS	3323	(summed or sum or summing or add or adds or added or adding or accumulative or accumulate or accumulating or accumulation or total or totally or totaling) with (data or input or sample\$3) with low with (frequency\$3 or speed\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:33		
129 BRS	31	(summed or sum or summing or add or adds or added or adding or accumulative or accumulate or accumulating or accumulation or total or totally or totaling) with (data or input or sample\$3) with low with (frequency\$3 or speed\$3) and (semiconductor\$1 or wafer\$1 or (integrated adj1 circuit\$1)) with consum\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:21		
130 BRS	1	computer with software with (summed or sum or summing or add or adds or added or adding or accumulative or accumulate or accumulating or accumulation or total or totally or totaling) with (data or input or sample\$3) with low with (frequency\$3 or speed\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:34		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
131	BRS	35	computer with (summed or sum or summing or add or adds or added or adding or accumulative or accumulate or accumulating or accumulation or total or totally or totaling) with (data or input or sample) with low with (frequency or speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:35		